

## Picture 1 -- 1/4"

GR-100 or GR-200 - Minimum Cutting Width 1/4"  
with **1/4" leg** against the fence  
and saw blade passes through the 1st tunnel next to the  
fence



*GRR-Ripper shown with optional Handle Bridge Kit*

## GRR-Ripper 3D Pushblock System - Minimum and Maximum Cutting Width




**Picture 2 -- 3-1/4"**

GR-100 or GR-200 - Maximum Cutting Width 3-1/4"  
with **1/2" leg** against the fence  
and saw blade passes through the 2nd tunnel away from  
the fence



*GRR-Ripper shown with optional Handle Bridge Kit*




**Picture 3 -- 5-1/4"**

GR-100 or GR-200 - Maximum Cutting Width 5-1/4"  
with **Balance Support** against the fence  
and saw blade passes through the 2nd tunnel away from  
the fence



*GRR-Ripper shown with optional Handle Bridge Kit*




**Picture 4 -- 4-1/4"**

GR-200 only - Maximum Cutting Width 4-1/4"  
with **Adjustable Spacer** against the fence  
and saw blade passes through the 2nd tunnel away from  
the fence



*GRR-Ripper shown with optional Handle Bridge Kit*



**Picture 5 -- 9-1/4"**

GR-200 only - Maximum Cutting Width 9-1/4"  
with **Stabilizing Plate** against the fence  
and saw blade passes through the 2nd tunnel away from  
the fence



*GRR-Ripper shown with optional Handle Bridge Kit*




**Picture 6 -- 1/8"**

**Minimum Cutting Width 1/8"**

GR-100 or GR-200 with Optional 1/8" Side Leg against the fence  
and saw blade passes through the 1st tunnel next to the fence



*GRR-Ripper shown with optional Handle Bridge Kit*




## Picture 7 -- 10"

Two GR-100s or two GR-200s connected with Optional **Handle Bridge** and **Deflector/Connector** cut up to 10" with **Balance Support** against the fence and saw blade passes through the 5th tunnel away from the fence (*3rd tunnel is the gap between the 2 GRR-Rippers*)



*\*Cuts can be made through any of the 5 tunnels for different widths\**




**Picture 8 -- 14"**

Two GR-200s connected with Optional **Handle Bridge** and **Deflector/Connector** cut up to 14" with **Stabilizing Plate** against the fence and saw blade passes through the 5th tunnel away from the fence (*3rd tunnel is the gap between the 2 GRR-Rippers*)



*\*Cuts can be made through any of the 5 tunnels for different widths\**





## Picture 9 -- Various Widths

GR-200 only - with **User-Built Jointing / Cross Cut Bridge**  
- Various Widths -  
and saw blade passes through one of the two available  
tunnels



Long Jointing / Cross Cut Bridge (22" shown) provides additional stability as guiding surface on wider cuts